L Number	Hits	Search To		
- Humber	1168		L	Time stamp
	1100	(emulsion adj polymerization) same emulsifier	USOCR	2003/01/21 12:38
-	248	(emulsion ADJ polymerization) same (wetting NEAR agent)	USOCR	2003/01/21 12:54
~	0	((emulsion ADJ polymerization) and ((wetting adj agent) with (parts or pt pts percent or percentage or "%"))).ab,ti. and acrylic and emulsifier	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 13:02
	1430	acrylic and emulsifier and ((emulsion ADJ polymerization).ab,ti. ((wetting adj agent) with (parts or pt pts percent or percentage or "%")))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 13:02
-	4	<pre>(emulsion ADJ polymerization).ab,ti. and ((wetting adj agent) with (percent or percentage or "%"))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 13:04
-	8	<pre>(emulsion ADJ polymerization).ab,ti. and ((wetting adj agent) with (parts or pt pts percent or percentage or "%"))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 13:05

Search History 1/22/03 10:47:01 AM Page 1

DERWENT-ACC-NO: 1985-064537

DERWENT-WEEK: 198511

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Amphoteric surfactant useful as emulsifier - obtd.

by e.g. reacting

ethylene oxide with an alcohol, reacting with

epihalohydrin, treating with alkali, adding an ester etc.

PATENT-ASSIGNEE: TOHO CHEM IND CO LTD[TOHR]

PRIORITY-DATA: 1983JP-0126188 (July 13, 1983)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE

PAGES MAIN-IPC

JP 60019030 A January 31, 1985 N/A

005 N/A

JP 92012262 B March 4, 1992 N/A

007 N/A

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

APPL-DATE

JP 60019030A N/A 1983JP-0126188

July 13, 1983

JP 92012262B N/A 1983JP-0126188

July 13, 1983

INT-CL (IPC): B01F017/42; B01F017/46; C07C227/26;

C07C229/12 ;

C11D001/90

ABSTRACTED-PUB-NO: JP 60019030A

BASIC-ABSTRACT: Amphoteric surfactant of formula (I) is

new. In (I), R is

8-24C alkyl or alkenyl; R' is ethylene or propylene qp.; n

is an integer of

1-50; and R'' is 5C or lower alkyl.

To produce (I), (1) 1-50 mol of ethylene oxide or a mixt.

of ethylene oxide and

propylene oxide is added to 1 mol of 8-24C alcohol to

obtain polyoxyalkylene alkenyl ether, (2) 1 mol of epihalohydrin is reacted with 1 mol of the ether, to convert its terminal OH to -OCH2CH(OH)CH2X (X; halogen), (3) after 5C or lower alkyl amine is reacted with the prod. it is treated with alkali to convert the terminal X to -N-R'', (4) acrylic acid lower alcohol ester is added to the prod. of step (3), and (5) the prod. is hydrolysed and neutralised.

ADVANTAGE - (I) is a new cpd. that is useful as an emulsifier, surfactant, etc.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS:

AMPHOTERIC SURFACTANT USEFUL EMULSION OBTAIN REACT ETHYLENE OXIDE ALCOHOL REACT EPIHALOHYDRIN TREAT ALKALI ADD ESTER

DERWENT-CLASS: A25 A97 E16 J02

CPI-CODES: A05-H03; A05-H04; A10-E01; A12-W11; E10-B02E; J02-A03;

CHEMICAL-CODES:

Chemical Indexing M3 *01* Fragmentation Code

H1 H103 H181 H4 H401 H481 H5 H582 H583 H584 H589 H721 H8 J0 J011 J1 J171 M210 M211 M212 M213 M214 M215 M220 M222 M223 M224 M225 M226 M231 M232 M233 M272 M273 M281 M312 M313 M321 M322 M323 M331 M332 M342 M343 M381 M383 M391 M392 M393 M416 M620 M710 M903 Q616

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:
Key Serials: 0013 3002 0231 1279 2000 2002 2008 2014 2178 2179 2180 2197 2198 3273 1588 1592 1602 1606 2073 2124 1590 1604 2122 Multipunch Codes: 014 028 039 04- 147 198 200 231 24& 240 244 31- 334 336 347 359 50& 59& 623 624 680 688 720 722 014 028 034 04- 147 198 200 231 24& 240 244

01/22/2003, EAST Version: 1.03.0002